Contents

Original Papers

Abe H, Ohbayashi F, Sugasaki T, Kanehara M, Terada T, Shimada T, Kawai S, Mita K, Kanamori Y, Yamamoto M-T, Oshiki T: Two novel *Pao*-like retrotransposons (*Kamikaze* and *Yamato*) from the silkworm species *Bombyx mori* and *B. mandarina*: common structural features of *Pao*-like elements 375
Achilli A → Babudri N
Akasaka K → Nagaya S
Akhtar N, Hagan H, Lopilato JE, Corbett AH: Functional analysis of the yeast Ran exchange factor Prp20p: in vivo evidence for the RanGTP gradient model 851
Akutsu T → Nakamura K
Akutsu T → Ozaki A
Aleksenko A → Nielsen ML
Andersen N → Skøt M
Angenent GC → Ge Y-X
Anthony F → Noir S
Arai K → Uchiyama M
Arman IP → Nadezhdin EV
Arnoldo MA → Silva NF
Asakawa H, Kitamura K, Shimoda C: A novel Cdc20-related WD-repeat protein, Fzr1, is required for spore formation in *Schizosaccharomyces pombe* 424
Augé-Gouillou C, Hamelin M-H, Demattei M-V, Periquet G, Bigot Y: The ITR binding domain of the Mariner *Mos-1* transposase 58
Augé-Gouillou C, Hamelin M-H, Demattei M-V, Periquet M, Bigot Y: The wild-type conformation of the *Mos-1* Inverted Terminal Repeatsis suboptimal for transposition in bacteria 51
Avedisov SA → Lyubomirskaya NV

Babudri N, Pavlov YI, Matmati N, Ludovisi C, Achilli A: Stationary-phase mutations in proofreading exonuclease-deficient strains of the yeast *Saccharomyces cerevisiae* 362
Badi L, Barberis A: Proteins that genetically interact with the *Saccharomy cescerevisiae* transcription factor Gal11p emphasize its role in the initiation-elongation transition 1076
Baier G → Hass S
Barberis A → Badi L
Barbey R → Gellon L
Bareiss A → Waltenberger H
Barsanti P → Caggese C
Bartholomeu DC, Batista JAN, Vainstein MH, Lima BD, Sá MC de: Molecular cloning and characterization of a gene encoding the 29-kDa proteasome subunit from *Trypanosoma cruzi* 986
Barton SL → Weng Y-s
Batista JAN → Bartholomeu DC
Baum M → Udupa SM
Bäurle I → Lohrmann J
Bichon A, Boukhatem N, Gay P, Dru P, Terzian H, Petitjean A-M, Lemeunier F, Contamine D: Genetic and molecular features of *Su(P)*, a gene that interacts with *ref(2)P* in male fertility of *Drosophila melanogaster* 354
Bigot Y → Augé-Gouillou C
Bigot Y → Augé-Gouillou C
Blatny JM, Risøen PA, Lillehaug D, Lunde M, Nes IF: Analysis of a regulator involved in the genetic switch between lysis and lysogeny of the temperate *Lactococcus lactis* phage ϕ LC3 189
Bloyer S → Faucheux M
Bohne W → Gail M
Boissonneau E → Faucheux M
Boiteux S → Gellon L
Bornholdt D → Nadezhdin EV
Boukhatem N → Bichon A
Bradeen JM → Naess SK
Brennicke A → Lohrmann J
Breskvar K → Kunic B
Brewer KV → Raizada MN
Broach JR → Haney SA
Brown D → Wu K
Brown JWS → Ibrahim AFM
Bruschi GCM, de Souza CC, Fagundes MR von ZK, Dani MAC, Goldman MHS, Morris NR, Liu L, Goldman GH: Sensitivity to camptothecin in *Aspergillus nidulans* identifies a novel gene, *scaA*$^{+}$, related to the cellular DNA damage response 264
Brutesco C → Doucet-Chabeaud G
Budai-Hadrian O → Sela-Buurlage MB
Bühring F → Jansen G
Burnett LA → Silva NF

Caggese C, Moschetti R, Ragone G, Barsanti P, Caizzi R: *dtctex-1*, the *Drosophila melanogaster* homolog of a putative murine t-complex distorter encoding a dynein light chain, is required for production of functional sperm 436
Caizzi R → Caggese C
Calendar R → Thomason LC
Cambareri EB → Zhou Y
Camilleri C → Courtial B
Canaday J, Tessier LH, Imbault P, Paulus F: Analysis of *Euglena gracilis alpha-, beta-* and *gamma*-tubulin genes: introns and pre-mRNA maturation 153
Carmel-Goren L → Sela-Buurlage MB
Charbonneau M → Grandin N
Chen C → Deng Z
Chen H → Zhou A
Chen X → Wang W
Cheng C → Wu X
Chiapello H → Courtial B
Cho JW → Weng Y-s
Christie LN → Silva NF
Chrzanowska-Lightowlers ZMA → McGregor A
Clark AJ → Inwood W
Clark GP → Ibrahim AFM
Coimbra MRM → Ozaki A
Combes M-C → Noir S
Comendador MA → Tosal L
Contamine D → Bichon A
Corbett AH → Akhtar N
Cornelissen BJC → Schoffelmeer EAM
Cosano IC, Martín H, Flández M, Nombela C, Molina M: Pim1, a MAP kinase involved in cell wall integrity in *Pichia pastoris* 604
Courtial B, Feuerbach F, Eberhard S, Rohmer L, Chiapello H, Camilleri C, Lucas H: *Tnt1* transposition events are induced by in vitro transformation of *Arabidopsis thaliana* and transposed copies integrat into gene 32
Creemers-Molenaar J → Ge Y-X
Culotta VC → Portnoy ME

D'Haeze W → Gao M
Dahlhaus E → Ge Y-X
Dalbøge H → Skjøt M
Damay P → Vannier D
Dani MAC → Bruschi GCM
Danielyan FD → Tokarskaya ON
Dany AL, Tissier A: A functional *OGG1* homologue from *Arabidopsis thaliana* 293
Darevsky IS → Tokarskaya ON
Davis AJ → Tudor M
Davis MA → Small AJ
De Buck S, Depicker A: Disruption of their palindromic arrangement leads to selective loss of DNA methylation in inversely repeated *gus* transgenes in Arabidopsis 1060
De Keukeleire P, Maes T, Sauer M, Zethof J, Van Montagu M, Gerats T: Analysis by Transposon Display of behavior of the *dTph1* element family during ontogeny and inbreeding of *Petunia hybrida* 72
De Rycke R → Gao M
de Souza CC → Bruschi GCM
De Wilde C, Podevin N, Windels P, Depicker A: Silencing of antibody genes in plants with single-copy transgene inserts as a result of gene dosage effects 647
Delimitrou S → Small AJ
Demakov SA → Schwartz YB
Demattei M-V → Augé-Gouillou C
Demattei M-V → Augé-Gouillou C
Deng Z, Huang S, Ling P, Yu C, Tao Q, Chen C, Wendell MK, Zhang H-B, Gmitter Jr FG: Fine genetic mapping and BAC contig development for the citrus tristeza virus resistance gene locus in *Poncirus trifoliata* (Raf.) 739
Depicker A → De Buck S
Depicker A → De Wilde C
Diep DB → Risøen PA
DiRuggiero J → Inwood W
Dobrindt U, Hacker J: Regulation of the tRNA5 ^{Leu}-encoding gene *leuX* that is associated with a pathogenicity island in the uropathogenic *Escherichia coli* strain 536 895
Doerfler W → Hohlweg U
Doucet-Chabeaud G, Godon C, Brutesco C, Murcia G de, Kazmaier M: Ionising radiation induces the expression of *PARP-1* and *PARP-2* genes in *Arabidopsis* 954
Dru P → Bichon A
Duzic E→ Haney SA

Eberhard S → Courtial B
Ellis THN → Knox MR
Elsik CG, Williams CG: Families of clustered microsatellites in a conifer genome 535
Enomoto T → Ui A
Ezura H → Kato-Emori S

Fagundes MR von ZK → Bruschi GCM
Faucheux M, Netter S, Bloyer S, Moussa M, Boissonneau E, Lemeunier F, Wegnez M, Théodore L: Advantages of a *P*-element construct containing *MtnA* sequences for

the identification of patterning and cell determination genes in *Drosophila melanogaster* 14
Feldman M → Tudor M
Feuerbach F → Courtial B
Filippov V, Filippova M, Gill SS: *Drosophila* RNase H1 is essential for development but not for proliferation 771
Filippova M → Filippov V
Fischer N, Rochaix J-D: The flanking regions of *PsaD* drive efficient gene expression in the nucleus of the green alga *Chlamydomonas reinhardtii* 888
Flández M → Cosano IC
Fluhr R → Sela-Buurlage MB
Foglia R → Linder-Basso D
Foster E → Wu K
Franken J → Ge Y-X
Fraser MJ → Lobo N
Frohnmeyer H → Rügner A
Fuglsang C → Skjøt M
Fukai E, Nishio T, Nasrallah ME: Molecular genetic analysis of the candidate gene for *MOD*, a locus required for self-incompatibility in *Brassica rapa* 519
Fukui K → Kumekawa N

Gail M, Gross U, Bohne W: Transcriptional profile of *Toxoplasma gondii*-infected human fibroblasts as revelaed by gene-array hybridization 905
Galmarini CR, Goldman IL, Havey MJ: Genetic analyses of correlated solids, flavor, and health-enhancing traits in onion (*Allium cepa* L.) 543
Gao M, D'Haeze W, De Rycke R, Holsters M: Dual control of the *nodA* operon of *Azorhizobium caulinodans* ORS571 by a *nod* box and a NifA-σ^{54}-type promoter 1050
Gay P → Bichon A
Ge Y-X, Angenent GC, Dahlhaus E, Franken J, Peters J, Wullems GJ, Creemers-Molenaar J: Partial silencing of the *NEC1* gene results in early opening of anthers in *Petunia hybrida* 414
Gellon L, Barbey R, Kemp PA van der, Thomas D, Boiteux S: Synergism between base excision repair, mediated by the DNA glycosylases Ntg1 and Ntg2, and nucleotide excision repair in the removal of oxidatively damaged DNA bases in Saccharomyces cerevisiae 1087
Gennis RB → Nihei C
Gerats T → De Keukeleire P
Ghosh SK, Poddar A, Hajra S, Sanyal K, Sinha P: The *IML3/MCM19* gene of *Saccharomyces cerevisiae* is required for a kinetochore-related process during chromosome segregation 249
Gil JA → Honrubia MP
Gill SS → Filippov V
Glazkova DV → Nadezhdin EV
Gmitter Jr FG → Deng Z
Godon C → Doucet-Chabeaud G
Goldman GH → Bruschi GCM
Goldman IL → Galmarini CR
Goldman MHS → Bruschi GCM
Gómez A → Peláez AI
Goring DR → Silva NF
Goto S → Nakano H
Grammatikaki M → Tudor M
Grandin N, Charbonneau M: Hsp90 levels affect telomere length in yeast 126
Grechko VV → Tokarskaya ON
Grosch JO → Waltenberger H
Gross U → Gail M
Grzeschik K → Nadezhdin EV
Gurvitz A, Wabnegger L, Langer S, Hamilton B, Ruis H, Hartig A: The tetratricopeptide repeat domains of human, tobacco, and nematode PEX5 proteins are functionally interchangeable with the analogous native domain for peroxisomal import of PTS1-terminated proteins in yeast 276

Haberlach GT → Naess SK
Hacker J → Dobrindt U
Hagan H → Akhtar N
Hajra S → Ghosh SK
Hamelin M-H → Augé-Gouillou C
Hamelin M-H → Augé-Gouillou C
Hamilton B → Gurvitz A
Hamoen L → Risøen PA
Hanada K → Shanado Y
Handa H, Kobayashi-Uehara A, Murayama S: Characterization of a wheat cDNA encoding mitochondrial ribosomal protein L11: qualitative and quantitative tissue-specific differences in its expression 569
Haney SA, Xu J, Lee S-Y, Ma C-L, Duzic E, Broach JR, Manfredi JP: Genetic selection in *Saccharomyces* of mutant mammalian adenylyl cyclases with elevated basal activities 1120
Hanneman RE → Kuhl JC
Hannemann F → Nasser Eddine A
Haring MA → Schoffelmeer EAM
Harris N, MacLean M, Hatzianthis K, Panaretou B, W. Piper P: Increasing *Saccharomyces cerevisiae* stress resistance, through the overactivation of the heat shock response resulting from defects in the Hsp90 chaperone, does not extend replicative life span but can be associated with slower chronological ageing of nondividing cells 258
Hart H → Wu X
Harter K → Lohrmann J
Harter K → Rügner A
Hartig A → Gurvitz A
Hartings H → Rossi V
Hass S, Weidemann A, Utermann G, Baier G: Intracellular apolipoprotein E affects Amyloid Precursor Protein processing and amyloid A production in COS-1 cells 791
Hatzianthis K → Harris N
Havey JJ → Kuhl JC
Havey MJ → Galmarini CR
Helgeson JP → Naess SK
Henderson TA, Nilles AF, Valjavec-Gratian M, Hill TM: Site-directed mutagenesis and phylogenetic comparisonsof the *Escherichia coli* Tus protein: DNA-protein interactions alone can not account for Tus activity 941
Hermansen TD → Nielsen ML
Herrmann H → Müller C
Higashi K → Kato-Emori S
Hill TM → Henderson TA
Hillman BI → Linder-Basso D
Hinata K → Kai N
Hirata A → Ishihara S
Hohlweg U, Doerfler W: On the fate of plant or other foreign genes upon the uptake in food or after intramuscular injection in mice 225
Hollenberg CP → Jansen G
Hollenberg CP: Managing Editor 1
Holsters M → Gao M
Honrubia MP, Ramos A, Gil JA: The cell division genes *ftsQ* and *ftsZ*, but not the three downstream open reading frames YFIH, ORF5 and ORF6, are essential for growth and viability in *Brevibacterium lactofermentum* ATCC 13869 1022
Hornung U → Volff J-N
Hosoya K → Kato-Emori S
Hu H → Zhou A
Hu M → Wu K
Hua-Van A → Lobo N
Huang S → Deng Z
Hunsmann G → Nadezhdin EV
Hynes MJ → Small AJ
Hyten D → Meksem K

Ibrahim AFM, Watters JA, Clark GP, Thomas CJR, Brown JWS, Simpson CG: Expression of intron-containing GUS constructs is reduced due to activation of a cryptic 5′ splice site 455
Ichinose Y → Ozawa H
Ikeda H → Shanado Y
Ilyin YV → Lyubomirskaya NV
Imbault P → Canaday J
Inagaki N → Tsuge T
Inagawa T, Kato J, Niki H, Karata K, Ogura T: Defective plasmid partition in *ftsH* mutants of *Escherichia coli* 755
Inokuchi H → Nakano H
Inokuchi H → Nihei C
Inui M → Zahn K
Inwood W, Kane S, DiRuggiero J, Robb F, Clark AJ: The RadB protein from *Pyrococcus* does not complement *E. coli recA* mutations in vivo 683
Ishihara S, Hirata A, Minemura M, Nogami S, Ohya Y: A mutation in *SPC42*, which encodes a component of the spindle pole body, results in production of two-spored asci in *Saccharomyces cerevisiae* 585
Isogai A → Kai N
Ito K → Takahashi T
Iwai K → Nakamura K

Jacobsen E → Wal MHBJ van de
Jansen G, Bühring F, Hollenberg CP, Ramezani Rad M: Mutations in the SAM domain of *STE50* differentially influence the MAPK-mediated pathways for mating, filamentous growth and osmotolerance in *Saccharomyces cerevisiae* 102
Janska H → Woloszynska M
Jarrell KF → Thomas NA
Jiang G → Wang W
Johnsborg O → Risøen PA

Kai N, Suzuki G, Watanabe M, Isogai A, Hinata K: Sequence comparisons among dispersed members of the *Brassica S* multigene family in an S^9 genome 526
Kan NG → Tokarskaya ON
Kanamori Y → Abe H
Kane S → Inwood W
Kanehara M → Abe H
Karata K → Inagawa T
Karpova NN → Lyubomirskaya NV
Kato J → Inagawa T
Kato K → Nagaya S
Kato-Emori S, Higashi K, Hosoya K, Kobayashi T, Ezura H: Cloning and characterization of the gene encoding 3-hydroxy-3-methylglutaryl coenzyme A reductase in melon (*Cucumis melo L. reticulatus*) 135
Kauppinen S → Skjøt M
Kawai S → Abe H
Kawamoto T → Tsuge T
Kemp PA van der → Gellon L
Kazmaier M → Doucet-Chabeaud G
Keitel C → Lohrmann J
Kempken R → Schmitt EK
Khoo S → Ozaki A
Kieleczawa J → Woloszynska M

Kim AI → Lyubomirskaya NV
Kinsey JA → Zhou Y
Kircher S → Rügner A
Kita K → Nihei C
Kitamura K → Asakawa H
Klein A → Müller S
Knox MR, Ellis THN: Stability and inheritance of methylation states at *Pst*I sites in *Pisum* 497
Ko T-S → Thimmapuram J
Kobayashi T → Kato-Emori S
Kobayashi-Uehara A → Handa H
Kofod LV → Skjøt M
Kõiv V, Mäe A: Quorum sensing controls the synthesis of virulence factors by modulating *rsmA* gene expression in *Erwinia carotovora* subsp. *carotovora* 287
Kojima S → Nihei C
Korban SS → Thimmapuram J
Kozma-Bognar L → Lohrmann J
Kramer W → Meyer C
Kück U → Schmitt EK
Kudla J → Lohrmann J
Kuhl JC, Hanneman Jr RE, Havey MJ: Characterization and mapping of *Rpi1*, a late-blight resistance locus from diploid (1EBN) Mexican *Solanum pinnatisectum* 977
Kumekawa N, Ohmido N, Fukui K, Ohtsubo E, Ohtsubo H: A new *gypsy*-type retrotransposon, *RIRE7*: preferential insertion into the tandem repeat sequence TrsD in pericentromeric heterochromatin regions of rice chromosomes 480
Kunic B, Truan G, Breskvar K, Pompon D: Functional cloning, based on azole resistance in *Saccharomyces cerevisiae*, and characterization of *Rhizopus nigricans* redox carriers that are differentially involved in the P450-dependent to progesterone stress 930
Kuo T-T → Yang Y-C

Langer S → Gurvitz A
Lanzanova C → Rossi V
Larrinoa IF de → Mendizabal I
Lashermes P → Noir S
Lauf U → Müller C
Lauria M → Rossi V
Laursen LV → Verkade HM
Lebedev YB → Nadezhdin EV
Lee S-Y → Haney SA
Lemeunier F → Bichon A
Lemeunier F → Faucheux M
Li X → Lobo N
Li X → Wang W
Lightfoot DA → Meksem K
Lightowlers RN → McGregor A
Lillehaug D → Blatny JM
Lima BD → Bartholomeu DC
Linder-Basso D, Foglia R, Zhu P, Hillman BI: *Crypt1*, an active *Ac*-like transposon from the chestnut blight fungus, *Cryphonectria parasitica* 730
Ling P → Deng Z
Liu G → Wang Z
Liu L → Bruschi GCM
Lobo N, Li X, Hua-Van A, Fraser MJ: Mobility of the *piggyBac* transposon in embryos of the vectors of Dengue fever (*Aedes albopictus*) and La Crosse encephalitis (*Ae. Triseriatus*) 66
Locatelli S → Rossi V
Lohrmann J, Sweere U, Zabaleta E, Bäurle I, Keitel C, Kozma-Bognar L, Brennicke A, Schäfer E, Kudla J, Harter K: The response regulator ARR2: a pollen-specific transcription factor involved in the expression of nuclear genes for components of mitochondrial Complex I in *Arabidopsis* 2
Lopilato JE → Akhtar N
Lucas H → Courtial B
Ludovisi C → Babudri N
Lunde M → Blatny JM
Luo M → Wang W
Lyubomirskaya NV, Smirnova JB, Razorenova OV , Karpova NN, Surkov SA , Avedisov SA, Kim AI, Ilyin YV: Two variants of the *Drosophila melanogaster* retrotransposon *gypsy* (*mdg4*): structural and functional differences, and distribution in fly stocks 367

Ma C-L → Haney SA
MacLean M → Harris N
Mäe A → Kõiv V
Maes T → De Keukeleire P
Malik K → Wu K
Manfredi JP → Haney SA
Martín H → Cosano IC
Martin T → Wu K
Martirosyan IA → Tokarskaya ON
Masai H → Uchiyama M
Matmati N → Babudri N
Matsui M → Tsuge T
Matsuki R → Tsuge T
Matsumoto T → Yamazaki M
McGrath JM → Naess SK
McGregor A, Temperley R, Chrzanowska-Lightowlers ZMA, Lightowlers RN: Absence of expression from RNA internalised into electroporated mammalian mitochondria 721
Meksem K, Ruben E, Hyten D, Triwitayakorn K, Lightfoot DA: Conversion of AFLP bands into high-throughput DNA markers 207
Mendizabal I, Pascual-Ahuir A, Serrano R, Larrinoa IF de: Promoter sequences regulated by the calcineurin-activated transcription factor Crz1 in the yeast *ENA1* gene 801
Meyer C, Scheller J, Kramer W: Transcription of *mutS*- and *mutL*-homologous genes during meiosis in *Saccharomyces cerevisiae* and identification of a regulatory *cis*-element for meiotic induction of *MSH2* 826
Miao G-H → Wang Z
Miki B → Wu K
Minemura M → Ishihara S
Mita K → Abe H
Mittag M → Waltenberger H
Miyajima A → Ui A
Miyao A → Yamazaki M
Molina M → Cosano IC
Morris NR → Bruschi GCM
Moschetti R → Caggese C
Motto M → Rossi V
Moussa M → Faucheux M
Müller C, Lauf U, Herrmann H: The inverted repeats of IS*1384*, a newly described insertion sequence from *Pseudomonas putida* strain H, represent the specific target for integration of IS*1383* 1004
Müller S, Klein A: Coordinate positive regulation of genes encoding [NiFe] hydrogenases in *Methanococcus voltae* 1069
Mullin AH → Mullin DA
Mullin DA, Ohta N, Mullin AH, Newton A: Organization, expression, and function of *Caulobacter crescentus* genes needed for assembly and function of the flagellar hook 445
Murcia G de → Doucet-Chabeaud G
Murayama S → Handa H
Murray JM → Verkade HM

Näke C → Rügner A
Nadezhdin EV, Lebedev YB, Glazkova DV, Bornholdt D, Arman IP, Grzeschik K-H, Hunsmann G, Sverdlov ED: Identification of paralogous HERV-K LTRs on human chromosomes 3, 4, 7 and 11 in regions containing clusters of olfactory receptor genes 820
Naess SK, Bradeen JM, Wielgus SM, Haberlach GT, McGrath JM, Helgeson JP: Analysis of the introgression of *Solanum bulbocastanum* DNA into potato breeding lines 694
Nagaya S, Yoshida K, Kato K, Akasaka K-H, Shinmyo A: An insulator element from the sea urchin *Hemicentrotus pulcherrimus* suppresses variation in transgene expression in cultured tobacco cells 405
Nakamura K → Nihei C
Nakamura K → Ozaki A
Nakamura K, Ozaki A, Akutsu T, Iwai K, Sakamoto T, Yoshizaki G, Okamoto N: Genetic mapping of the dominant albino locus in rainbow trout (*Oncorhynchus mykiss*) 687
Nakano H, Goto S, Nakayashiki T, Inokuchi H: Temperature-sensitive mutations in various genes of *Escherichia coli* K12 can be suppressed by the *ssrA* gene for 10Sa RNA (tmRNA) 615
Nakayashiki T → Nakano H
Nakayashiki T → Nihei C
Nasrallah ME → Fukai E
Nasser Eddine A, Hannemann F, Schäfer W: Cloning and expression analysis of *NhL1*, a gene encoding an extracellular lipase from the fungal pea pathogen *Nectria haematococca* MP VI (*Fusarium solani* f. sp. *pisi*) that is expressed *in planta* 215
Nazarian KAP → Silva NF
Nes IF → Blatny JM
Nes IF → Risøen PA
Netter S → Faucheux M
Newton A → Mullin DA
Nickoloff JA → Weng Y-s
Nielsen ML, Hermansen TD, Aleksenko A: A family of DNA repeats in *Aspergillus nidulans* has assimilated degenerated retrotransposons 883
Nihei C, Nakayashiki T, Nakamura K, Inokuchi H, Gennis RB, Kojima S, Kita K: Abortive assembly of succinate-ubiquinone reductase (Complex II) in a ferrochelatase-deficient mutant of *Escherichia coli* 394
Niki H → Inagawa T
Nilles AF → Henderson TA
Nishio T → Fukai E
Nogami S → Ishihara S
Noir S, Combes M-C, Anthony F, Lashermes P: Origin, diversity and evolution of NBS-type disease-resistance gene homologues in coffee trees (*Coffea* L.) 654
Nombela C → Cosano IC

O'Connell MJ → Verkade HM
O'Hare K → Tudor M
Ogura T → Inagawa T
Ohbayashi F → Abe H
Ohmido N → Kumekawa N
Ohta N → Mullin DA

Ohtsubo E → Kumekawa N
Ohtsubo H → Kumekawa N
Ohya Y → Ishihara S
Okamoto N → Nakamura K
Okamoto N → Ozaki A
Onoda F → Ui A
Ornatowska M → Wołoszynska M
Oshiki T → Abe H
Ow DW → Thomason LC
Ozaki A → Nakamura K
Ozaki A, Sakamoto T, Khoo S, Nakamura K, Coimbra MRM, Akutsu T, Okamoto N: Quantitative trait loci (QTLs) associated with resistance/susceptibility to infectious pancreatic necrosis virus (IPNV)in rainbow trout (*Oncorhynchus mykiss*) 23
Ozawa H, Tanaka H, Ichinose Y, Shiraishi T, Yamada T: Bacteriophage P4282, a parasite of *Ralstonia solanacearum*, encodes a bacteriolytic protein important for lytic infection of its host 95

Pérez-Espinosa A, Roldán-Arjona T, Ruiz-Rubio M: Pantothenate synthetase from *Fusarium oxysporum* f.sp. *lycopersici* is induced by α -tomatine 922
Pan Q → Sela-Buurlage MB
Panaretou B → Harris N
Panaud O → Zoldos V
Papes D → Zoldos V
Pascual-Ahuir A → Mendizabal I
Paulus F → Canaday J
Pauly M → Skøt M
Pavlov YI → Babudri N
Pawson CT → Thomas NA
Peláez AI, Ribas-Aparicio RM, Gómez A, Rodicio MR: Structural and functional characterization of the *recR* gene of *Streptomyces* 663
Periquet G → Augé-Gouillou C
Periquet M → Augé-Gouillou C
Peters J → Ge Y-X
Petitjean A-M → Bichon A
Petrosyan VG → Tokarskaya ON
Piper PW → Harris N
Poddar A → Ghosh SK
Podevin N → De Wilde C
Pompon D → Kunic B
Portnoy ME, Schmidt PJ, Rogers RS, Culotta VC: Metal transporters that contribute copper to metallochaperonesin *Saccharomyces cerevisiae* 873

Ragone G → Caggese C
Raizada MN, Brewer KV, Walbot V: A maize *MuDR* transposon promoter shows limited autoregulation 82
Ramanculov E, Young R: Functional analysis of the phage T4 holin in a λ context 345
Ramezani Rad M → Jansen G
Ramos A → Honrubia MP
Razorenova OV → Lyubomirskaya NV
Ribas-Aparicio RM → Peláez AI
Risøen PA → Blatny JM
Risøen PA, Johnsborg O, Diep DB, Hamoen L, Venema G, Nes IF: Regulation of bacteriocin production in *Lactobacillus plantarum* depends on a conserved promoter arrangement with consensus binding sequence 198
Roach PJ → Wu X
Robb F → Inwood W
Rochaix J → Fischer N
Rodicio MR → Peláez AI
Rogers RS → Portnoy ME
Rohmer L → Courtial B
Roldn-Arjona T → Pérez-Espinosa A
Rossi V, Varotto S, Locatelli S, Lanzanova C, Lauria M, Zanotti E, Hartings H, Motto M: The maize WD-repeat gene *ZmRbAp1* encodes a member of the MSI/RbAp subfamily and is differentially expressed during endosperm development 576
Rothstein SJ → Silva NF
Rozenfeld S, Thuriaux P: Genetic interactions within TFIIIC, the promoter-binding factor of yeast RNA polymerase III 705
Ruben E → Meksem K
Rügner A, Frohnmeyer H, Näke C, Wellmer F, Kircher S, Schäfer E, Harter K: Isolation and characterization of four novel parsley proteins that interact with the transcriptional regulators CPRF1 and CPRF2 964
Ruis H → Gurvitz A
Ruiz-Rubio M → Pérez-Espinosa A
Ryskov AP → Tokarskaya ON

Sá MC de → Bartholomeu DC
Sakamoto T → Nakamura K
Sakamoto T → Ozaki A
Sanyal K → Ghosh SK
Sarr A → Zoldos V
Sasaki T → Yamazaki M
Sasanuma T: Characterization of the *rbcS* multigene family in wheat: subfamily classification, determination of chromosomal location and evolutionary analysis 161
Satoh Y → Ui A
Sauer M → De Keukeleire P
Schäfer → Nasser Eddine A
Schäfer E → Lohrmann J
Schäfer E → Rügner A
Schartl M → Volff J-N
Scheller J → Meyer C
Schmidt PJ → Portnoy ME
Schmitt EK, Kempken R, Kück U: Functional analysis of promoter sequences of cephalosporin C biosynthesis genes from *Acremonium chrysogenum*: specific DNA-protein interactions and characterization of the transcription factor PACC 508
Schneid C → Waltenberger H
Schoffelmeer EAM, Vossen JH, van Doorn AA, Cornelissen BJC, Haring MA: FEM1, a *Fusarium oxysporum* glycoprotein that is covalently linked to the cell wall matrix and is conserved in filamentous fungi 143
Schwartz YB, Demakov SA, Zhimulev IF: Polytene chromosome interband DNA is organized into nucleosomes 311
Seki M → Ui A
Sela-Buurlage MB, Budai-Hadrian O, Pan Q, Carmel-Goren L, Vunsch R, Zamir D, Fluhr R: Genome-wide dissection of *Fusarium* resistance in tomato reveals multiple complex loci 1104
Serrano R → Mendizabal I
Shanado Y, Hanada K, Ikeda H: Suppression of gamma ray-induced illegitimate recombination in *Escherichia coli* by the DNA-binding protein H-NS 242
Shimada H → Tsuge T
Shimada T → Abe H
Shimoda C → Asakawa H
Shimoda C → Shimoseki M
Shimoi H → Takahashi T
Shimoseki M, Shimoda C: The 5′ terminal region of the *Schizosaccharomyces pombe mes1* mRNA is crucial for its meiosis-specific splicing 673
Shinmyo A → Nagaya S
Shiraishi T → Ozawa H
Shore D → Vannier D
Sierra LM → Tosal L
Siljak-Yakovlev S → Zoldos V
Silva NF, Stone SL, Christie LN, Sulaman W, Nazarian KAP, Burnett LA, Arnoldo MA, Rothstein SJ, Goring DR: Expression of the *S* receptor kinase in self-compatible *Brassica napus* cv. Westar leads to the allele-specific rejection of self-incompatible *Brassica napus* pollen 552
Simpson CG → Ibrahim AFM
Sinha P → Ghosh SK
Skjøt M, Kauppinen S, Kofod LV, Fuglsang C, Pauly M, Daløge H, Andersen N: Functional cloning of an endo-arabinanase from *Aspergillus aculeatus* and its heterologus expression in *A. oryzae* and tobacco 913
Small AJ, Todd RB, Zanker MC, Delimitrou S, Hynes MJ, Davis MA: Functional analysis of TamA, a coactivator of nitrogen-regulated gene expression in *Aspergillus nidulans* 636
Smirnova JB → Lyubomirskaya NV
Stone SL → Silva NF
Sugasaki T → Abe H
Sulaman W → Silva NF
Surkov SA → Lyubomirskaya NV
Suzuki G → Kai N
Sverdlov ED → Nadezhdin EV
Sweere U → Lohrmann J
Szabo R: Cla4 protein kinase is essential for filament formation and invasive growth of *Yarrowia lipolytica* 172

Takahashi T, Shimoi H, Ito K: Identification of genes required for growth under ethanol stress using transposon mutagenesis in *Saccharomyces cerevisiae* 1112
Tanaka H → Ozawa H
Tao Q → Deng Z
Taramino G → Wang Z
Tatchell K → Wu X
Teli T → Verkade HM
Temperley R → McGregor A
Terada T → Abe H
Terzian H → Bichon A
Tessier LH → Canaday J
Théodore L → Faucheux M
Thimmapuram J, Ko T-S, Korban SS: Characterization and expression of β -1,3-glucanase 469
Thomas CJR → Ibrahim AFM
Thomas D → Gellon L
Thomas NA, Pawson CT, Jarrell KF: Insertional inactivation of the *flaH* gene in the archaeon *Methanococcus voltae* results in non-flagellated cells 596
Thomason LC, Calendar R, Ow DW: Gene insertion and replacement in *Schizosaccharomyces pombe* mediated by the *Streptomyces* bacteriophage φC31 site-specific recombination system 1031
Thuriaux P → Rozenfeld S
Tian L → Wu K
Tingey SV → Wang Z
Tissier A → Dany AL
Todd RB → Small AJ
Tokarskaya ON, Kan NG, Petrosyan VG, Martirosyan IA, Grechko VV, Danielyan FD, Darevsky IS, Ryskov AP: Genetic variation in parthenogenetic Caucasian rock lizards of the genus *Lacerta (L. dahli, L. armeniaca, L. unisexualis)* analyzed by DNA fingerprinting 812

Tosal L, Comendador MA, Sierra LM: In vivo repair of ENU-induced oxygen alkylation damage by the nucleotide excision repair mechanism in *Drosophila melanogaster* 327
Triwitayakorn K → Meksem K
Truan G → Kunic B
Tsugawa H → Yamazaki M
Tsuge T, Inagaki N, Yoshizumi T, Shimada H, Kawamoto T, Matsuki R, Yamamoto N, Matsui M: Phytochrome-mediated control of *COP1* gene expression in rice plants 43
Tu J → Yang Y-C
Tudor M, Davis AJ, Feldman M, Grammatikaki M, O'Hare K: The *X* element, a novel LINE transposable element from *Drosophila melanogaster* 489

Uchiyama M, Arai K, Masai H: *sna41*^{goa1}, a novel mutation causing G1/S arrest in fission yeast,is defective in a *CDC45* homolog and interacts genetically with *pol*α 1039
Udupa SM, Baum M: High mutation rate and mutational bias at $(TAA)_n$ microsatellite loci in chickpea (*Cicer arietinum* L.) 1097
Ui A, Satoh Y, Onoda F, Miyajima A, Seki M, Enomoto T: The N-terminal region of Sgs1, which interacts with Top3, is required for complementation of MMS sensitivity and suppression of hyper-recombination in *sgs1* disruptants 837
Utermann G → Hass S

Vainstein MH → Bartholomeu DC
Valjavec-Gratian M → Henderson TA
van Doorn AA → Schoffelmeer EAM
Van Montagu M → De Keukeleire P
Vannier D, Damay P, Shore D: A role for Sds3p, a component of the Rpd3p/Sin3p deacetylase complex, in maintaining cellular integrity in *Saccharomyces cerevisiae* 560
Varotto S → Rossi V
Venema G → Risøen PA
Verkade HM, Teli T, Laursen LV, Murray JM, O'Connell MJ: A homologue of the Rad18 postreplication repair gene is required for DNA damage responses throughout the fission yeast cell cycle 993
Visser RGF → Wal MHBJ van de
Volff J-N, Hornung U, Schartl M: Fish retroposons related to the *Penelope* element of *Drosophila virilis* define a new group of retrotransposable elements 711
Vossen JH → Schoffelmeer EAM
Vunsch R → Sela-Buurlage MB

Wabnegger L → Gurvitz A
Wal MHBJ van de, Jacobsen E, Visser RGF: Multiple allelism as a control mechanism in metabolic pathways: GBSSI allelic composition affects the activity of granule-bound starch synthase I and starch composition in potato 1011
Walbot V → Raizada MN
Waltenberger H, Schneid C, Grosch JO, Bareiss A, Mittag M: Identification of target mRNAs for the clock-controlled RNA-binding protein Chlamy1 from *Chlamydomonas reinhardtii* 180
Wang G-L → Wang Z
Wang W, Zhai W, Luo M, Jiang G, Chen X, Li X, Wing RA, Zhu L: Chromosome landing at the bacterial blight resistance gene *Xa4* locus using a deep coverage rice BAC library 118
Wang Z, Taramino G, Yang D, Liu G, Tingey SV, Miao G-H, Wang G-L: Rice ESTs with disease-resitance gene- or defense-response gene-like sequences mapped to regions containing major resistance genes or QTLs 302
Watanabe M → Kai N
Watters JA → Ibrahim AFM
Wegnez M → Faucheux M
Weidemann A → Hass S
Wendell MK → Deng Z
Weng Y, Barton SL, Cho JW, Nickoloff JA: Marker structure and recombination substrate environment influence conversion preference of broken and unbroken alleles in *Saccharomyces cerevisiae* 461
Wielgus SM → Naess SK
Williams CG → Elsik CG
Windels P → De Wilde C
Wing RA → Wang W
Woloszynska M, Kieleczawa J, Ornatowska M, Wozniak M, Janska H: The origin and maintenance of the small repeat in the bean mitochondrial genome 865
Wozniak M → Woloszynska M
Wu J → Yamazaki M
Wu K, Malik K, Tian L, Hu M, Martin T, Foster E, Brown D, Miki B: Enhancers and core promoter elements are essential for the activity of a cryptic gene activation sequence from tobacco, tCUP 763
Wu X, Hart H, Cheng C, Roach PJ, Tatchell K: Characterization of Gac1p, a regulatory subunit of protein phosphatase type I involved in glycogen accumulation in *Saccharomyces cerevisiae* 622
Wullems GJ → Ge Y-X

Xia G → Zhou A
Xu J → Haney SA

Yamada T → Ozawa H
Yamamoto M-T → Abe H
Yamamoto N → Tsuge T
Yamamoto S → Yamazaki M
Yamazaki M, Tsugawa H, Miyao A, Yano M, Wu J, Yamamoto S, Matsumoto T, Sasaki T, Hirochika H: The rice retrotransposon *Tos17* prefers low-copy-number sequences as integration targets 336
Yang D → Wang Z
Yang M-K → Yang Y-C
Yang Y-C, Yang M-K, Kuo T-T, Tu J: Structural and functional characterization of the *lexA* gene of *Xanthomonas campestris* pathovar *citri* 316
Yano M → Yamazaki M
Yoshida K → Nagaya S
Yoshizaki G → Nakamura K
Yoshizumi T → Tsuge T
Young R → Ramanculov E
Yu C → Deng Z
Yukawa H → Zahn K

Zabaleta E → Lohrmann J
Zahn K, Inui M, Yukawa H: Structure, expression and products of the ribosomal RNA operons of *Rhodopseudomonas palustris* No. 7 778
Zamir D → Sela-Buurlage MB
Zanker MC → Small AJ
Zanotti E → Rossi V
Zethof J → De Keukeleire P
Zhai W → Wang W
Zhang H-B → Deng Z
Zhang X → Zhou A
Zhimulev IF → Schwartz YB
Zhou A, Xia G, Zhang X, Chen H, Hu H: Analysis of chromosomal and organellar DNA of somatic hybrids between *Triticum aestiuvm* and *Haynaldia villaosa* Schur 387
Zhou Y, Cambareri EB, Kinsey JA: DNA methylation inhibits expression and transposition of the *Neurospora Tad* retrotransposon 748
Zhu L → Wang W
Zhu P → Linder-Basso D
Zoldos V, Siljak-Yakovlev S, Papes D, Sarr A, Panaud O: Representational difference analysis reveals genomic differences between *Q. robur* and *Q. suber*: implications for the study of genome evolution in the genus *Quercus* 234

Indexed in/abstracted by the following services: *BIOSIS, Zoological Record, Current Contents, Index Medicus EMBASE*